

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A method wherein a cellular communications service provider authenticates a provider of a service running at a wireless hotspot, the method comprising:

receiving an indication of potential use of a specified wireless hotspot from a user;

verifying the trustworthiness of the provider of the service with a party independent from said provider responsive to a request for verification from a communications device of the user;
and

on successful verification of the provider of the service, providing the user with a confirmation that the provider of the service is authenticated by the cellular communications service provider.

2. (Original) A method as claimed in claim 1, wherein the service is use of the hotspot and the provider of the service is a wireless hotspot provider.

3. (Original) A method as claimed in claim 1, wherein the service is a service running over infrastructure of the wireless hotspot and the provider of the service is not the provider of the wireless hotspot.

4. (Original) A method as claimed in claim 1, wherein the confirmation provided

comprises a key enabling the user to use the service provided by the provider.

5. (Original) A method as claimed in claim 1, further including tracking the location of a user via a user's wireless communications device; and

predicting, from the location of the user, a service at a wireless hotspot within current or future range of the user.

6. (Original) A method as claimed in claim 5, further including supplying the user with information concerning the location of one or more hotspots close to the user or closest to the user.

7. (Original) A method as claimed in claim 5, wherein the indication of potential use is determination that the hotspot is within present or future range of the user.

8. (Original) A method as claimed in claim 7, further including receiving a positive request to use the service, and commencing authentication of the provider of the service before the positive request is received.

9. (Original) A method as claimed in claim 1, wherein the indication of potential use is a positive request from the user.

10. (Currently Amended) A computer system for a cellular telecommunications provider, comprising a processor arranged for:

receiving an indication of potential use of a specified wireless hotspot from a user;
identifying services available at the specified wireless hotspot;
authenticating providers of the services available at the specified wireless hotspot
responsive to a request for authentication of service providers from a communication device of
the user; and
preparing authentication information for use by the user.

11. (Original) A computer system as claimed in claim 10, wherein in preparing the authentication information the processor is arranged for generating a cryptographic key.

12. (Original) A computer system as claimed in claim 10, wherein the processor is further arranged for receiving location information representing the location of the user, and for determining from the location information one or more wireless hotspots that are or will be within the range of the user.

13. (Original) A computer system as claimed in claim 12, wherein the processor is further arranged for (a) receiving a positive request for use of a service at the hotspot from the user, (b) commencing authenticating a provider of the service before the positive request is received and (c) preparing authentication information for use by the user after the positive request is received.

14. (Currently Amended) A storage medium storing a computer-readable program code thereon, the computer-readable program code being arranged to cause a computer system of a

cellular communications provider to:

receive an indication of potential use of a specified wireless hotspot from a user;

identify services available at the specified wireless hotspot;

authenticate providers of the services available at the specified wireless hotspot
responsive to a request for authentication of service providers from a communication device of
the user; and

prepare authentication information for provision to the user.

15. (Currently Amended) A method wherein a cellular telecommunications provider authorises a user to use a location-dependent service, the method comprising:

tracking the location of the user via a wireless communications device of the user;

determining that the user is or will be within an operating range of the location-dependent service;

authenticating a provider of the service responsive to a request for authentication of the
service provider from a communication device of the user; and
authenticating the provider of the service to the user.

16. (Original) A method as claimed in claim 15, further comprising receiving a request to use the location-dependent service by the user.

17. (Original) A method as claimed in claim 16, wherein authenticating the provider of the service commences prior to receiving the request authenticating the provider of the service subsequent to receiving the request.

18. (Previously Presented) A computer system as claimed in claim 10, wherein in authenticating providers of the services the processor is arranged for verifying the trustworthiness of the providers of the services.

19. (Previously Presented) A storage medium as claimed in claim 14, wherein the computer-readable program code arranged to cause the computer system of the cellular communications provider to authenticate providers of the services is arranged for verifying the trustworthiness of the providers of the services.

20. (Previously Presented) A method as claimed in claim 15, wherein authenticating the provider of the service comprises verifying the trustworthiness of the providers of the services.

21. (Previously Presented) A method as claimed in claim 1, wherein the indication of potential use is received via a call from a user via the cellular communications service provider.

22. (Previously Presented) A method as claimed in claim 1, wherein the provision of the confirmation that the provider of the service is authenticated is provided via a cellular communication link between the cellular communications service provider and the user.

23. (Previously Presented) A computer system as claimed in claim 10, wherein the computer system is further arranged to receive the indication of potential use via a call from a

user via the cellular communications service provider.

24. (Previously Presented) A computer system as claimed in claim 10, wherein the computer system is further arranged to provide the confirmation via a cellular communication link between the cellular communications service provider and the user.